



## POULTRY FEEDS

# 1118

### PRODUCT DATA

ME .....	1424.75	Kcal/lb
PROTEIN .....	16.03	%
ARGININE .....	1.06	%
GLYCINE .....	0.08	%
SERINE .....	0.08	%
HISTIDINE .....	0.44	%
ISOLEUCINE .....	0.99	%
LEUCINE .....	1.52	%
LYSINE .....	0.89	%
METHIONINE .....	0.30	%
CYSTINE .....	0.25	%
PHENYLALANINE .....	0.77	%
TYROSINE .....	0.63	%
THREONINE .....	0.69	%
TRYPTOPHANE .....	0.24	%
VALINE .....	0.91	%
FAT .....	4.00	%
LINOLEIC ACID .....	2.07	%
FIBER .....	4.50	%
CALCIUM .....	1.12	%
TOTAL PHOS. ....	0.83	%
AVAILABLE PHOS. ...	0.40	%
POTASSIUM .....	1.06	%
CHLORINE .....	0.33	%
COBALT .....	0.27	mg/lb
IODINE .....	0.59	mg/lb
IRON .....	528.97	mg/lb
MAGNESIUM .....	0.47	%
MANGANESE .....	82.85	mg/lb
SODIUM .....	0.29	%
SULFUR .....	0.18	%
COPPER .....	6.92	mg/lb
SELENIUM .....	0.20	mg/lb
ZINC .....	53.37	mg/lb
BIOTIN .....	0.31	mg/lb
CHOLINE .....	654.66	mg/lb
FOLIC ACID .....	1.20	mg/lb
NIACIN .....	51.62	mg/lb
PANTOTHENIC ACID	10.37	mg/lb
PYRIDOXINE .....	4.99	mg/lb
RIBOFLAVIN .....	3.15	mg/lb
THIAMINE .....	4.97	mg/lb
VITAMIN A .....	3.91	KIU/lb
VITAMIN D3 .....	1.25	KIU/lb
VITAMIN B12 .....	5.27	mcg/lb
VITAMIN E .....	19.47	IU/lb

TFP NUTRITION  
NACOGDOCHES, TEXAS

## 16% ROOSTER PELLETS


A balanced diet formulated for growing and maintenance of roosters.

### FEATURES

- \* 16% protein
- \* Pelletized
- \* Balanced vitamins, minerals, and amino acids
- \* Optimal calcium level
- \* No added antibiotics or hormones

### BENEFITS

- \* Pelletized feed prevents waste
- \* Lower calcium than laying feeds which benefits roosters
- \* Supports muscle maintenance, energy, and feather growth



### GUARANTEED ANALYSIS

Crude Protein, minimum .....	16.00%
Lysine, minimum .....	0.70%
Methionine, minimum .....	0.30%
Crude Fat, minimum .....	4.00%
Crude Fiber, maximum .....	4.50%
Calcium (Ca), minimum .....	0.70%
Calcium (Ca), maximum .....	1.10%
Phosphorus (P), minimum .....	0.60%
Salt (NaCl), minimum .....	0.25%
Salt (NaCl), maximum .....	0.75%

### INGREDIENTS

Grain products, processed grain by-products, plant protein products, cane molasses, calcium carbonate, animal protein products, forage products, dicalcium phosphate, salt, *Saccharomyces cerevisiae* yeast culture, dried *Lactobacillus acidophilus* fermentation product, dried *Enterococcus faecium* fermentation product, vitamin A supplement, vitamin D3 supplement, vitamin E supplement, vitamin B12 supplement, riboflavin supplement, niacin supplement, calcium pantothenate, choline chloride, menadione sodium bisulfite complex (source of vitamin K activity), folic acid, pyridoxine hydrochloride, thiamine mononitrate, sodium selenite, biotin, manganese sulfate, zinc sulfate, ferrous sulfate, copper sulfate, calcium iodate, cobalt carbonate.

**FEEDING DIRECTIONS:** Feed free choice to chickens 18 weeks of age or older from time first egg is laid throughout the time of egg production. Keep feeders clean and provide a source of fresh, clean water at all times.

**CAUTION:** Feed should be stored in a well-ventilated, dry area protected from rodents and insects. Feed is perishable. Do not feed moldy or insect-infested feed to chickens as it may cause illness or death.